IEE Proceedings-C

Generation, Transmission and Distribution

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 140 1993 UK ISSN 0143–7046

HONORARY EDITORS

Prof. E.J. Handschin (*University of Dortmund*)
Prof. J.R. Smith (*University of Strathclyde*)

Pages in issues of *IEE Proceedings-C*, 1993

Pages	Issue No.	Date
1–64	1	January
65–160	2	March
161–240	3	May
241–336	4	July
337–432	5	September
433–544	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $7.50 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7046/93 $7.50 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 071 240 1871; telex: 261176 IEELDN G; facsimile: 071 240 77 35.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1993: The Institution of Electrical Engineers

Secretary of the IEE: J.C. Williams, PhD, FEng, FIEE
Managing Editor: Gill Wheeler; *Executive Editor:* Kerry Blewett
Graphics Manager: Maurice Partridge

Typeset by: Santype International Limited, Salisbury, Wiltshire, United Kingdom
Printed by: Black Bear Press Limited, Cambridge, United Kingdom

IEE Proceedings-C

Generation, Transmission and Distribution

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 140 1993 UK ISSN 0143–7046

HONORARY EDITORS

Prof. E.J. Handschin (*University of Dortmund*)
Prof. J.R. Smith (*University of Strathclyde*)

Pages in issues of *IEE Proceedings-C*, 1993

Pages	Issue No.	Date
1–64	1	January
65–160	2	March
161–240	3	May
241–336	4	July
337–432	5	September
433–544	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $7.50 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7046/93 $7.50 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 071 240 1871; telex: 261176 IEELDN G; facsimile: 071 240 77 35.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1993: The Institution of Electrical Engineers

Secretary of the IEE: J.C. Williams, PhD, FEng, FIEE
Managing Editor: Gill Wheeler; *Executive Editor:* Kerry Blewett
Graphics Manager: Maurice Partridge

Typeset by: Santype International Limited, Salisbury, Wiltshire, United Kingdom
Printed by: Black Bear Press Limited, Cambridge, United Kingdom

Index

IEE Proceedings-C
Generation, Transmission and Distribution
Vol. 140, 1993

ABBREVIATIONS

p paper, address or lecture
d discussion on a paper
a abstract of paper or address
e errata

Author index

A

Abdel-Salam, M., and Al-Shehri, A. Combined method based on inversion and charge simulation for calculating electric stresses in three-core belted cables p357
Aeyels, D., and Willems, J.L. see Willems, J.L.
Aggarwal, R.K., Daniel, J.S., and Johns, A.T. see Daniel, J.S.
Ajjarapu, V., and Lee, B. see Lee, B.
Al-Bahrani, A.H., and Malik, N.H. Steady-state analysis of parallel-operated self-excited induction generators p49
Al-Ohaly, A.A., and Elrazaz, Z. see Elrazaz, Z.
Al-Shehri, A., and Abdel-Salam, M. see Abdel-Salam, M.
Araujo, A.E.A., Soudack, A.C., and Marti, J.R. Ferroresonance in power systems: chaotic behaviour p237
Arnold, C.P., Arrillaga, J., Camacho, J.R., and MacDonald, S.J. see Arrillaga, J.
Arrillaga, J., Camacho, J.R., MacDonald, S.J., and Arnold, C.P. Operating characteristics of unit and group connected generator-HVDC converter schemes p503
Arrillaga, J., MacDonald, S., Watson, N.R., and Watson, S. Series self-excited HVDC generation p141
Arrillaga, J., Wood, A.R., and Saavedra, A.R. see Wood, A.R.
Arrillaga, J., Yonghe, L., Crimp, C.S., and Villablanca, M. Harmonic elimination by DC ripple reinjection in generator–convertor units operating at variable speeds p57
Arya, L.D., Bijwe, P.R., and Kothari, D.P. see Bijwe, P.R.

B

Babic, B., Djukanovic, M., Sobajic, D.J., and Pao, Y.-H. see Djukanovic, M.
Berry, T., Dale, L.A., Daniels, A.R., and Dunn, R.W. Real time modelling of multimachine power systems p241
Bhattacharya, K., Kothari, M.L., and Nanda, J. see Kothari, M.L.
Bijwe, P.R., Kothari, D.P., and Arya, L.D. Alleviation of line overloads and voltage violations by corrective rescheduling p249
Billinton, R., and Gan, L. Monte Carlo simulation model for multiarea generation system reliability studies p532
Billinton, R., and Khan, M.E. see Khan, M.E.
Billinton, R., and Lian, G. Monte Carlo approach to substation reliability evaluation p147
Bollen, M.H.J. Method for reliability analysis of industrial distribution systems p497
Bollen, M.H.J. Travelling-wave-based protection of double-circuit lines p37
Bourkas, P.D., Dervos, C.T., Karagiannopoulos, C.G., and Kagarakis, C.A. see Dervos, C.T.
Brucoli, M., la Scala, M., Sbrizzai, R., and Trovato, M. Voltage stability analysis of electric power systems with frequency dependent loads p1
Budišin, P.B., Vukelja, P.I., Naumov, R.M., and Vučinić, M.M. see Vukelja, P.I.

C

Ćalović, M.S., and Levi, V.A. see Levi, V.A.
Camacho, J.R., Arrillaga, J., MacDonald, S.J., and Arnold, C.P. see Arrillaga, J.
Campbell, L.C., and Tekletsadik, K. see Tekletsadik, K.
Carpinelli, G., Gagliardi, F., Sturchio, A., and Russo, M. Steady-state mathematical models of convertors with biparametric regulation p105
Chandrasekharaiah, H.S., and Narendra, K.G. see Narendra, K.G.
Chang, C.S. Online transient stability evaluation of interconnected power systems using pattern recognition strategy p115
Chedid, R., Freris, L.L., and Meisel, J. see Freris, L.L.
Chen, S.L., and Huang, S.R. Improvement on state formulation, stratification and estimation in Monte Carlo production cost simulation p439
Cheng, C.L., Lu, C.N., Leou, R.C., and Rai, T.S. see Lu, C.N.
Crimp, C.S., Arrillaga, J., Yonghe, L., and Villablanca, M. see Arrillaga, J.

D

Dale, L.A., Berry, T., Daniels, A.R., and Dunn, R.W. see Berry, T.
Daniel, J.S., Aggarwal, R.K., and Johns, A.T. Three terminal line protection based on a superimposed component impedance relay p447
Daniels, A.R., Berry, T., Dale, L.A., and Dunn, R.W. see Berry, T.
David, A.K. Competitive bidding in electricity supply p421
David, A.K., and Li, Y.Z. see Li, Y.Z.
Dervos, C.T., Karagiannopoulos, C.G., Bourkas, P.D., and Kagarakis, C.A. Measurements on stationary metal contacts under high charge injection rates p167
Dias, M.F., and ElKateb, M.M. see ElKateb, M.M.
Djukanovic, M., Babic, B., Sobajic, D.J., and Pao, Y.-H. Unsupervised/supervised learning concept for 24-hour load forecasting p311
Djukanovic, M.B., Popovic, D.P., Sobajic, D.J., and Pao, Y.-H. Prediction of power system frequency response after generator outages using neural nets p389
Dong, Y., and Pota, H.R. Transient stability margin prediction using equal-area criterion p96
Dordević, V., and Nahman, J. see Nahman, J.
Duggan, E., and Morrison, R.E. Prediction of harmonic voltage distortion when a nonlinear load is connected to an already distorted supply p161
Dunn, R.W., Berry, T., Dale, L.A., and Daniels, A.R. see Berry, T.

E

Eichhorn, K.Fr., Łobos, T., and Ruczewski, P. Constrained frequency domain algorithms for determination of parameters of fundamental sinewave of signals p477
El-Arini, M.M.M. Decoupled power flow solution method for well-conditioned and ill-conditioned power systems p7
ElKateb, M.M., and Dias, M.F. New technique for adaptive-frequency load shedding suitable for industry with private generation p411
Elrazaz, Z., and Al-Ohaly, A.A. Optimal coordination of shunt reactors to enhance system performance at light load operation p293

F

Fahmi, N.R., and Johnson, R.C. Phase co-ordinate model for analysis of isolated power systems p123
Freris, L.L., Meisel, J., and Chedid, R. Cascaded harmonic synchronous machine p131
Fujii, T., and Funabiki, S. see Funabiki, S.
Funabiki, S., and Fujii, T. Fuzzy control of SMES for levelling load power fluctuation based on Lukasiewicz logic p91
Fung, C.C., and Wong, K.P. see Wong, K.P.

G

Gagliardi, F., Carpinelli, G., Sturchio, A., and Russo, M. see Carpinelli, G.
Gan, L., and Billinton, R. see Billinton, R.
Goubin, M., Van Cutsem, T., Wehenkel, L., Pavella, M., and Heilbronn, B. see Van Cutsem, T.
Gupta, H., Shandilya, A., and Sharma, J. see Shandilya, A.

H

Haque, M.H. Novel decoupled load flow method p199
Hatziargyriou, N.D., Prousalidis, J.M., and Papadias, B.C. Generalised transformer model based on the analysis of its magnetic core circuit p269
Heilbronn, B., Van Cutsem, T., Wehenkel, L., Pavella, M., and Goubin, M. see Van Cutsem, T.
Hipel, K.W., Quintana, V.H., and Temraz, H.K. see Quintana, V.H.
Holmes, R., Pilling, N.A., and Jones, G.R. see Pilling, N.A.
Hong, Y.-Y., Liao, C.-M., and Lu, T.-G. Application of Newton optimal power flow to assessment of VAR control sequences on voltage security: case studies for a practical power system p539
Hsu, Y.-Y., and Kuo, H.-C. Dispatch of capacitors on distribution system using dynamic programming p433
Hu, L., and Yacamini, R. Calculation of harmonics and interharmonics in HVDC schemes with low DC side impedance p469
Huang, S.R., and Chen, S.L. see Chen, S.L.

I

Irving, M.R., and Zhang, S. see Zhang, S.

J

Jain, M.P., Singh, S.P., and Singh, B. see Singh, S.P.
Jasmon, G.B., and Lee, L.H.C.C. New contingency ranking technique incorporating a voltage stability criterion p87
Johns, A.T., Daniel, J.S., and Aggarwal, R.K. see Daniel, J.S.
Johnson, R.C., and Fahmi, N.R. see Fahmi, N.R.
Jones, G.R., Pilling, N.A., and Holmes, R. see Pilling, N.A.

K

Kagarakis, C.A., Dervos, C.T., Karagiannopoulos, C.G., and Bourkas, P.D. see Dervos, C.T.
Karagiannopoulos, C.G., Dervos, C.T., Bourkas, P.D., and Kagarakis, C.A. see Dervos, C.T.
Khan, M.E., and Billinton, R. Generating unit commitment in composite generation and transmission systems p404
Kim, C.J., and Russell, B.D. High-impedance fault detection system using an adaptive element model p153
Kostic, M.B. Analysis of foundation grounding systems with external loops and rods p73
Kothari, D.P., Bijwe, P.R., and Arya, L.D. see Bijwe, P.R.
Kothari, M.L., Nanda, J., and Bhattacharya, K. Design of variable structure power system stabilisers with desired eigenvalues in the sliding mode p263
Kothari, M.L., Nanda, J., and Bhattacharya, K. Discrete mode power system stabilisers p523
Krassas, N.D., and Vournas, C.D. see Vournas, C.D.
Kuo, H.-C., and Hsu, Y.-Y. see Hsu, Y.-Y.

L

la Scala, M., Brucoli, M., Sbrizzai, R., and Trovato, M. see Brucoli, M.
Ledwich, G.F., and Palmer, E.W. see Palmer, E.W.
Lee, B., and Ajjarapu, V. Period-doubling route to chaos in an electrical power system p490
Lee, L.H.C.C., and Jasmon, G.B. see Jasmon, G.B.
Lee, S., and Liu, C.-C. Damping torsional oscillations using a SIMO static VAR controller p462
Lee, W.W.S., Yung, E.K.N., and Wong, R.S.K. see Yung, E.K.N.
Leou, R.C., Lu, C.N., Cheng, C.L., and Rai, T.S. see Lu, C.N.
Levi, V.A., and Ćalović, M.S. Linear-programming-based decomposition method for optimal planning of transmission network investments p516
Li, X.-Y., and Malik, O.P. Estimation of equivalent models for emergency state control of interconnected power systems based on multistage recursive least-squares identification p319
Li, Y.Z., and David, A.K. Pricing reactive power conveyance p174
Lian, G., and Billinton, R. see Billinton, R.
Liao, C.-M., Hong, Y.-Y., and Lu, T.-G. see Hong, Y.-Y.

Liu, C.-C., and Lee, S. see Lee, S.
Lo, K.L., and Zhang, C. Decomposed three-phase power flow solution using the sequence component frame p181
Łobos, T., Eichhorn, K.Fr., and Ruczewski, P. see Eichhorn, K.Fr.
Losi, A., Rossi, F., Russo, M., and Verde, P. New tool for reactive power planning p256
Lu, C.N., Leou, R.C., Cheng, C.L., and Rai, T.S. Modelling multiple injection bus in power system state estimation p455
Lu, T.-G., Hong, Y.-Y., and Liao, C.-M. see Hong, Y.-Y.
Luoni, G. Effect of mixed convection on external thermal resistance of cables in air p160

M

MacDonald, S., Arrillaga, J., Watson, N.R., and Watson, S. see Arrillaga, J.
MacDonald, S.J., Arrillaga, J., Camacho, J.R., and Arnold, C.P. see Arrillaga, J.
Macpherson, D.E., Wito, A.G., and Whittington, H.W. see Wito, A.G.
Malik, N.H., and Al-Bahrani, A.H. see Al-Bahrani, A.H.
Malik, O.P., and Li, X.-Y. see Li, X.-Y.
Marti, J.R., Araujo, A.E.A., and Soudack, A.C. see Araujo, A.E.A.
Mehta, H., and Schauder, C. see Schauder, C.
Meisel, J., Freris, L.L., and Chedid, R. see Freris, L.L.
Morgan, V.T. External thermal resistance of aerial bundled cables p65
Morrison, R.E., and Duggan, E. see Duggan, E.

N

Nahman, J., and Dordević, V. Distribution of zero sequence currents for earth faults occurring along a transmission line and proximity effects p427
Nanda, J., Kothari, M.L., and Bhattacharya, K. see Kothari, M.L.
Narendra, K.G., and Chandrasekharaiah, H.S. Simple method of selective harmonic tracking (SHT) of signals in an integrated AC–DC power system p399
Naumov, R.M., Vukelja, P.I., Vučinić, M.M., and Budišin, P.B. see Vukelja, P.I.

O

O'Shields, L., Wilkins, R., and Saengsuwan, T. see Wilkins, R.

P

Pal, M.K. Voltage stability: analysis needs, modelling requirement, and modelling adequacy p279
Palmer, E.W., and Ledwich, G.F. Three phase harmonic modelling of power system loads p206
Pao, Y.-H., Djukanovic, M., Babic, B., and Sobajic, D.J. see Djukanovic, M.
Pao, Y.-H., Djukanovic, M.B., Popovic, D.P., and Sobajic, D.J. see Djukanovic, M.B.
Papadias, B.C., Hatziargyriou, N.D., and Prousalidis, J.M. see Hatziargyriou, N.D.
Pavella, M., Van Cutsem, T., Wehenkel, L., Heilbronn, B., and Goubin, M. see Van Cutsem, T.
Pavella, M., and Xue, Y. see Xue, Y.
Pilling, N.A., Holmes, R., and Jones, G.R. Optical fibre current measurement system using liquid crystals and chromatic modulation p351
Popovic, D.P., Djukanovic, M.B., Sobajic, D.J., and Pao, Y.-H. see Djukanovic, M.B.
Popović, Lj.M. Practical method for the analysis of earthing systems with long external electrodes p213
Pota, H.R., and Dong, Y. see Dong, Y.
Prousalidis, J.M., Hatziargyriou, N.D., and Papadias, B.C. see Hatziargyriou, N.D.

Q

Quintana, V.H., Temraz, H.K., and Hipel, K.W. Two-stage power system distribution planning algorithm p17

R

Rai, T.S., Lu, C.N., Leou, R.C., and Cheng, C.L. see Lu, C.N.
Ray, S. Prediction of hysteresis losses produced by distorted flux in low-loss silicon–iron transformer core laminations p229
Rossi, F., Losi, A., Russo, M., and Verde, P. see Losi, A.
Ruczewski, P., Eichhorn, K.Fr., and Łobos, T. see Eichhorn, K.Fr.
Russell. B.D., and Kim, C.J. see Kim, C.J.
Russo, M., Carpinelli, G., Gagliardi, F., and Sturchio, A. see Carpinelli, G.
Russo, M., Losi, A., Rossi, F., and Verde, P. see Losi, A.

S

Saavedra, A.R., Wood, A.R., and Arrillaga, J. see Wood, A.R.
Saengsuwan, T., Wilkins, R., and O'Shields, L. see Wilkins, R.
Sbrizzai, R., Brucoli, M., la Scala, M., and Trovato, M. see Brucoli, M.
Schauder, C., and Mehta, H. Vector analysis and control of advanced static VAR compensators p299
Shandilya, A., Gupta, H., and Sharma, J. Method for generation rescheduling and load shedding to alleviate line overloads using local optimisation p337
Sharma, J., Shandilya, A., and Gupta, H. see Shandilya, A.
Singh, B., Singh, S.P., and Jain, M.P. see Singh, S.P.
Singh, S.P., Singh, B., and Jain, M.P. Comparative study on the performance of a commercially designed induction generator with induction motors operating as self excited induction generators p374
Sobajic, D.J., Djukanovic, M., Babic, B., and Pao, Y.-H. see Djukanovic, M.
Sobajic, D.J., Djukanovic, M.B., Popovic, D.P., and Pao, Y.-H. see Djukanovic, M.B.
Soudack, A.C., Araujo, A.E.A., and Marti, J.R. see Araujo, A.E.A.
Sturchio, A., Carpinelli, G., Gagliardi, F., and Russo, M. see Carpinelli, G.

T

Tekletsadik, K., and Campbell, L.C. Flashover arc motion and its effect on spacer-surface damage in gas-insulated systems p287
Temraz, H.K., Quintana, V.H., and Hipel, K.W. see Quintana, V.H.
Trovato, M., Brucoli, M., la Scala, M., and Sbrizzai, R. see Brucoli, M.

V

Van Cutsem, T., Wehenkel, L., Pavella, M., Heilbronn, B., and Goubin, M. Decision tree approaches to voltage security assessment p189
Verde, P., Losi, A., Rossi, F., and Russo, M. see Losi, A.
Villablanca, M., Arrillaga, J., Yonghe, L., and Crimp, C.S. see Arrillaga, J.
Vournas, C.D., and Krassas, N.D. Voltage stability as affected by static load characteristics p221
Vučinić, M.M., Vukelja, P.I., Naumov, R.M., and Budišin, P.B. see Vukelja, P.I.
Vukelja, P.I., Naumov, R.M., Vučinić, M.M., and Budišin, P.B. Experimental investigations of overvoltages in neutral isolated networks p343

W

Wang, Y., Zhou, R., and Wen, C. Robust load–frequency controller design for power systems p11
Watson, N.R., Arrillaga, J., MacDonald, S., and Watson, S. see Arrillaga, J.
Watson, S., Arrillaga, J., MacDonald, S., and Watson, N.R. see Arrillaga, J.
Wehenkel, L., Van Cutsem, T., Pavella, M., Heilbronn, B., and Goubin, M. see Van Cutsem, T.
Wen, C., Wang, Y., and Zhou, R. see Wang, Y.
Whittington, H.W., Wito, A.G., and Macpherson, D.E. see Wito, A.G.
Wilkins, R., Saengsuwan, T., and O'Shields, L. Short-circuit tests on current-limiting fuses: modelling of the test circuit p30
Willems, J.L., and Aeyels, D. New decomposition for 3-phase currents in power systems p307
Wito, A.G., Macpherson, D.E., and Whittington, H.W. Electricity generation in Central Europe p365
Wong, K.P., and Fung, C.C. Simulated annealing based economic dispatch algorithm p509
Wong, R.S.K., Yung, E.K.N., and Lee, W.W.S. see Yung, E.K.N.
Wood, A.R., Arrillaga, J., and Saavedra, A.R. Unified control strategy for back-to-back HVDC convertor stations p77

X

Xue, Y., and Pavella, M. Critical-cluster identification in transient stability studies p481

Y

Yacamini, R., and Hu, L. see Hu, L.
Yonghe, L., Arrillaga, J., Crimp, C.S., and Villablanca, M. see Arrillaga, J.
Youssef, R.D. Phase-shifting transformers in load flow and short-circuit analysis: modelling and control p331
Yung, E.K.N., Wong, R.S.K., and Lee, W.W.S. Analysis of a rectangular earthing plate p381

Z

Zhang, C., and Lo, K.L. see Lo, K.L.
Zhang, S., and Irving, M.R. Analytical algorithm for constraint relaxation in LP-based optimal power flow p326
Zhou, R., Wang, Y., and Wen, C. see Wang, Y.

ARCING

Flashover arc motion and its effect on spacer-surface damage in gas-insulated systems. K. Tekletsadik and L.C. Campbell p287

CABLES AND OVERHEAD LINES

Combined method based on inversion and charge simulation for calculating electric stresses in three-core belted cables. M. Abdel-Salam and A. Al-Shehri p357
Effect of mixed convection on external thermal resistance of cables in air. G. Luoni p160
External thermal resistance of aerial bundled cables. V.T. Morgan p65

CIRCUIT BREAKERS AND CIRCUIT BREAKING

Measurements on stationary metal contacts under high charge injection rates. C.T. Dervos, C.G. Karagiannopoulos, P.D. Bourkas and C.A. Kagarakis p167
Travelling-wave-based protection of double-circuit lines. M.H.J. Bollen p37

COMPUTER SIMULATION

Competitive bidding in electricity supply. A.K. David p421

CONDUCTORS AND CONDUCTIVITY

Analysis of foundation grounding systems with external loops and rods. M.B. Kostic p73

CONTROL SYSTEMS

Unified control strategy for back-to-back HVDC convertor stations. A.R. Wood, J. Arrillaga and A.R. Saavedra p77

CONVERTORS

Calculation of harmonics and interharmonics in HVDC schemes with low DC side impedance. L. Hu and R. Yacamini p469
Constrained frequency domain algorithms for determination of parameters of fundamental sinewave of signals. K.Fr. Eichhorn, T. Łobos and P. Ruczewski p477
Operating characteristics of unit and group connected generator-HVDC converter schemes. J. Arrillaga, J.R. Camacho, S.J. MacDonald and C.P. Arnold p503

DIGITAL FILTERS

Constrained frequency domain algorithms for determination of parameters of fundamental sinewave of signals. K.Fr. Eichhorn, T. Łobos and P. Ruczewski p477

ENERGY CONVERSION AND STORAGE

Electricity generation in Central Europe. A.G. Wito, D.E. Macpherson and H.W. Whittington p365
Harmonic elimination by DC ripple reinjection in generator–convertor units operating at variable speeds. J. Arrillaga, L. Yonghe, C.S. Crimp and M. Villablanca p57

FAULT DETECTION

High-impedance fault detection system using an adaptive element model. C.J. Kim and B.D. Russell p153
Travelling-wave-based protection of double-circuit lines. M.H.J. Bollen p37

GENERATORS

Comparative study on the performance of a commercially designed induction generator with induction motors operating as self excited induction generators. S.P. Singh, B. Singh and M.P. Jain p374
Operating characteristics of unit and group connected generator-HVDC converter schemes. J. Arrillaga, J.R. Camacho, S.J. MacDonald and C.P. Arnold p503
Optimal coordination of shunt reactors to enhance system performance at light load operation. Z. Elrazaz and A.A. Al-Ohaly p293
Series self-excited HVDC generation. J. Arrillaga, S. MacDonald, N.R. Watson and S. Watson p141
Steady-state analysis of parallel-operated self-excited induction generators. A.H. Al-Bahrani and N.H. Malik p49

HYDROELECTRIC POWER GENERATION

Operating characteristics of unit and group connected generator-HVDC converter schemes. J. Arrillaga, J.R. Camacho, S.J. MacDonald and C.P. Arnold p503

HYSTERESIS

Prediction of hysteresis losses produced by distorted flux in low-loss silicon–iron transformer core laminations. S. Ray p229

INDUCTION MOTORS

Comparative study on the performance of a commercially designed induction generator with induction motors operating as self excited induction generators. S.P. Singh, B. Singh and M.P. Jain p374
Steady-state analysis of parallel-operated self-excited induction generators. A.H. Al-Bahrani and N.H. Malik p49

INSTRUMENTATION AND MEASURING SCIENCE

Constrained frequency domain algorithms for determination of parameters of fundamental sinewave of signals. K.Fr. Eichhorn, T. Łobos and P. Ruczewski p477
Optical fibre current measurement system using liquid crystals and chromatic modulation. N.A. Pilling, R. Holmes and G.R. Jones p351

LOAD AND VOLTAGE REGULATION

Decision tree approaches to voltage security assessment. T. Van Cutsem, L. Wehenkel, M. Pavella, B. Heilbronn and M. Goubin p189
Fuzzy control of SMES for levelling load power fluctuation based on Lukasiewicz logic. S. Funabiki and T. Fujii p91
New decomposition for 3-phase currents in power systems. J.L. Willems and D. Aeyels p307
New technique for adaptive-frequency load shedding suitable for industry with private generation. M.M. ElKateb and M.F. Dias p411
Voltage stability analysis of electric power systems with frequency dependent loads. M. Brucoli, M. la Scala, R. Sbrizzai and M. Trovato p1
Voltage stability as affected by static load characteristics. C.D. Vournas and N.D. Krassas p221
Voltage stability: analysis needs, modelling requirement, and modelling adequacy. M.K. Pal p279

MATHEMATICAL TECHNIQUES

Alleviation of line overloads and voltage violations by corrective rescheduling. P.R. Bijwe, D.P. Kothari and L.D. Arya p249
Analytical algorithm for constraint relaxation in LP-based optimal power flow. S. Zhang and M.R. Irving p326
Decomposed three-phase power flow solution using the sequence component frame. K.L. Lo and C. Zhang p181
Improvement on state formulation, stratification and estimation in Monte Carlo production cost simulation. S.L. Chen and S.R. Huang p439
Novel decoupled load flow method. M.H. Haque p199
Simulated annealing based economic dispatch algorithm. K.P. Wong and C.C. Fung p509
Steady-state mathematical models of convertors with biparametric regulation. G. Carpinelli, F. Gagliardi, A. Sturchio and M. Russo p105

POWER ELECTRONICS

Phase-shifting transformers in load flow and short-circuit analysis: modelling and control. R.D. Youssef p331
Vector analysis and control of advanced static VAR compensators. C. Schauder and H. Mehta p299

POWER SYSTEM PROTECTION

Constrained frequency domain algorithms for determination of parameters of fundamental sinewave of signals. K.Fr. Eichhorn, T. Łobos and P. Ruczewski p477
Design of variable structure power system stabilisers with desired eigenvalues in the sliding mode. M.L. Kothari, J. Nanda and K. Bhattacharya p263
Estimation of equivalent models for emergency state control of interconnected power systems based on multistage recursive least-squares identification. X.-Y. Li and O.P. Malik p319
Method for generation rescheduling and load shedding to alleviate line overloads using local optimisation. A. Shandilya, H. Gupta and J. Sharma p337
New technique for adaptive-frequency load shedding suitable for industry with private generation. M.M. ElKateb and M.F. Dias p411
Prediction of harmonic voltage distortion when a nonlinear load is connected to an already distorted supply. E. Duggan and R.E. Morrison p161
Prediction of power system frequency response after generator outages using neural nets. M.B. Djukanovic, D.P. Popovic, D.J. Sobajic and Y.-H. Pao p389
Transient stability margin prediction using equal-area criterion. Y. Dong and H.R. Pota p96

POWER SYSTEMS AND PLANT

Application of Newton optimal power flow to assessment of VAR control sequences on voltage security: case studies for a practical power system. Y.-Y. Hong, C.-M. Liao and T.-G. Lu p539
Critical-cluster identification in transient stability studies. Y. Xue and M. Pavella p481
Decoupled power flow solution method for well-conditioned and ill-conditioned power systems. M.M.M. El-Arini p7
Distribution of zero sequence currents for earth faults occurring along a transmission line and proximity effects. J. Nahman and V. Dordević p427
Electricity generation in Central Europe. A.G. Wito, D.E. Macpherson and H.W. Whittington p365
Estimation of equivalent models for emergency state control of interconnected power systems based on multistage recursive least-squares identification. X.-Y. Li and O.P. Malik p319
Ferroresonance in power systems: chaotic behaviour. A.E.A. Araujo, A.C. Soudack and J.R. Marti p237
Linear-programming-based decomposition method for optimal planning of transmission network investments. V.A. Levi and M.S. Čalović p516
Method for reliability analysis of industrial distribution systems. M.H.J. Bollen p497
Modelling multiple injection bus in power system state estimation. C.N. Lu, R.C. Leou, C.L. Cheng and T.S. Rai p455
Monte Carlo simulation model for multiarea generation system reliability studies. R. Billinton and L. Gan p532
New contingency ranking technique incorporating a voltage stability criterion. G.B. Jasmon and L.H.C.C. Lee p87
Online transient stability evaluation of interconnected power systems using pattern recognition strategy. C.S. Chang p115
Operating characteristics of unit and group connected generator-HVDC converter schemes. J. Arrillaga, J.R. Camacho, S.J. MacDonald and C.P. Arnold p503
Optical fibre current measurement system using liquid crystals and chromatic modulation. N.A. Pilling, R. Holmes and G.R. Jones p351
Period-doubling route to chaos in an electrical power system. B. Lee and V. Ajjarapu p490
Phase co-ordinate model for analysis of isolated power systems. N.R. Fahmi and R.C. Johnson p123
Prediction of harmonic voltage distortion when a nonlinear load is connected to an already distorted supply. E. Duggan and R.E. Morrison p161
Robust load–frequency controller design for power systems. Y. Wang, R. Zhou and C. Wen p11
Series self-excited HVDC generation. J. Arrillaga, S. MacDonald, N.R. Watson and S. Watson p141
Three phase harmonic modelling of power system loads. E.W. Palmer and G.F. Ledwich p206
Two-stage power system distribution planning algorithm. V.H. Quintana, H.K. Temraz and K.W. Hipel p17

Unsupervised/supervised learning concept for 24-hour load forecasting. M. Djukanovic, B. Babic, D.J. Sobajic and Y.-H. Pao p311
Voltage stability analysis of electric power systems with frequency dependent loads. M. Brucoli, M. la Scala, R. Sbrizzai and M. Trovato p1

POWER TRANSMISSION AND DISTRIBUTION

Decomposed three-phase power flow solution using the sequence component frame. K.L. Lo and C. Zhang p181
Dispatch of capacitors on distribution system using dynamic programming. Y.-Y. Hsu and H.-C. Kuo p433
Generating unit commitment in composite generation and transmission systems. M.E. Khan and R. Billinton p404
High-impedance fault detection system using an adaptive element model. C.J. Kim and B.D. Russell p153
Monte Carlo approach to substation reliability evaluation. R. Billinton and G. Lian p147
Pricing reactive power conveyance. Y.Z. Li and A.K. David p174
Vector analysis and control of advanced static VAR compensators. C. Schauder and H. Mehta p299

POWER UTILISATION AND INDUSTRIAL APPLICATIONS

Pricing reactive power conveyance. Y.Z. Li and A.K. David p174

RELAYS

Three terminal line protection based on a superimposed component impedance relay. J.S. Daniel, R.K. Aggarwal and A.T. Johns p447

RELIABILITY

Method for reliability analysis of industrial distribution systems. M.H.J. Bollen p497
Monte Carlo simulation model for multiarea generation system reliability studies. R. Billinton and L. Gan p532
New tool for reactive power planning. A. Losi, F. Rossi, M. Russo and P. Verde p256

SEMICONDUCTOR DEVICES AND MATERIALS

Damping torsional oscillations using a SIMO static VAR controller. S. Lee and C.-C. Liu p462

SIGNAL PROCESSING

Simple method of selective harmonic tracking (SHT) of signals in an integrated AC–DC power system. K.G. Narendra and H.S. Chandrasekharaiah p399

SIMULATION

Decoupled power flow solution method for well-conditioned and ill-conditioned power systems. M.M.M. El-Arini p7
Generalised transformer model based on the analysis of its magnetic core circuit. N.D. Hatziargyriou, J.M. Prousalidis and B.C. Papadias p269
Monte Carlo approach to substation reliability evaluation. R. Billinton and G. Lian p147
Real time modelling of multimachine power systems. T. Berry, L.A. Dale, A.R. Daniels and R.W. Dunn p241
Steady-state mathematical models of convertors with biparametric regulation. G. Carpinelli, F. Gagliardi, A. Sturchio and M. Russo p105
Three phase harmonic modelling of power system loads. E.W. Palmer and G.F. Ledwich p206
Voltage stability as affected by static load characteristics. C.D. Vournas and N.D. Krassas p221

STABILITY

Decision tree approaches to voltage security assessment. T. Van Cutsem, L. Wehenkel, M. Pavella, B. Heilbronn and M. Goubin p189
Discrete mode power system stabilisers. M.L. Kothari, J. Nanda and K. Bhattacharya p523
Online transient stability evaluation of interconnected power systems using pattern recognition strategy. C.S. Chang p115
Phase co-ordinate model for analysis of isolated power systems. N.R. Fahmi and R.C. Johnson p123

SUPERCONDUCTIVITY

Fuzzy control of SMES for levelling load power fluctuation based on Łukasiewicz logic. S. Funabiki and T. Fujii p91

SWITCHES AND SWITCHING THEORY

Measurements on stationary metal contacts under high charge injection rates. C.T. Dervos, C.G. Karagiannopoulos, P.D. Bourkas and C.A. Kagarakis p167

SWITCHGEAR

Short-circuit tests on current-limiting fuses: modelling of the test circuit. R. Wilkins, T. Saengsuwan and L. O'Shields p30

SYNCHRONOUS MOTORS

Cascaded harmonic synchronous machine. L.L. Freris, J. Meisel and R. Chedid p131

SYSTEM PROTECTION

Analysis of a rectangular earthing plate. E.K.N. Yung, R.S.K. Wong and W.W.S. Lee p381
Experimental investigations of overvoltages in neutral isolated networks. P.I. Vukelja, R.M. Naumov, M.M. Vučinić and P.B. Budišin p343
Practical method for the analysis of earthing systems with long external electrodes. Lj.M. Popović p213

TRANSFORMERS

Generalised transformer model based on the analysis of its magnetic core circuit. N.D. Hatziargyriou, J.M. Prousalidis and B.C. Papadias p269
Phase-shifting transformers in load flow and short-circuit analysis: modelling and control. R.D. Youssef p331
Prediction of hysteresis losses produced by distorted flux in low-loss silicon–iron transformer core laminations. S. Ray p229
Series self-excited HVDC generation. J. Arrillaga, S. MacDonald, N.R. Watson and S. Watson p141

TRANSMISSION LINES

Alleviation of line overloads and voltage violations by corrective rescheduling. P.R. Bijwe, D.P. Kothari and L.D. Arya p249